

## Analytical Report

Sample Code	128-2023-00019921	Report date	02-Apr-2023
Certificate No.	AR-23-VV-020127-01		



Sample Code:	128-2023-00019921		
Client Sample Code:	33054-33534-1		
Sample described as:	Organic pumpkin seeds GWS A		
Sample Packaging:	Sealed plastic bag		
Sample reception date:	30-Mar-2023		
Analysis Starting Date:	30-Mar-2023		
Analysis Ending Date:	02-Apr-2023		
Arrival Temperature (°C)	17.5	Sample Weight	585g
Sample Type	Solid		

	Results	Unit	LOQ	LOD
VV00Y Salmonella in 125g Method: ISO 6579-1:2017				
Salmonella	Not Detected	/125 g		

### SIGNATURE



Berton Zhang  
Authorized Signatory

### EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Qingdao) Co., Ltd.

END OF REPORT

Eurofins Technology Service (Qingdao) Co., Ltd.


Site I: Floor 2, Building 6, No.368 Heqing Road,

High-tech District, Qingdao, Shandong Province, P.R.China

Site II: Building A2, No.7 Fusheng Road, High-tech District,

Qingdao, Shandong Province, P.R.China

Phone +86 400 076 1880  
www.eurofins.cn





# Analytical Report

Sample Code	128-2023-00019920	Report date	02-Apr-2023
Certificate No.	AR-23-VV-020233-01		



Sample Code:	128-2023-00019920		
Client Sample Code:	33054-33534-1		
Sample described as:	Organic pumpkin seeds GWS A		
Sample Packaging:	Sealed plastic bag		
Sample reception date:	30-Mar-2023		
Analysis Starting Date:	30-Mar-2023		
Analysis Ending Date:	02-Apr-2023		
Arrival Temperature (°C)	17.5	Sample Weight	585g
Sample Type	Solid		

	Results	Unit	LOQ	LOD	Results on fresh product	EU MRL
VV168	Concentration factor					
	Concentration factor		1			
VV137	Chlormequat/Mepiquat Method: EURL-SRM QuPPE-Method					
	Chlormequat (total, calc. as Chlormequat Cl)	<LOQ	mg/kg	0.01	<LOQmg/kg	0.01
	Mepiquat (total, calc. as Mepiquat Chloride)	<LOQ	mg/kg	0.01	<LOQmg/kg	0.05
VV15C	Glyphosate Method: SN/T 1923-2007					
	Glyphosate	<LOQ	mg/kg	0.01	<LOQmg/kg	0.1
VV161	Pesticide Screening(GC) Method: BS EN 15662:2018					
	Screened pesticides	<LOQ	mg/kg			
VV162	Pesticide Screening(LC) Method: BS EN 15662:2018					
	Screened pesticides	<LOQ	mg/kg			

### List of screened molecules

VV161 Pesticide Screening(GC) (236 parameters)(LOQ* mg/kg)					
2,2',4,5,5'-Pentachlorobiphenyl (0.01)	2,2',5,5'-Tetrachlorobiphenyl (0.01)	2,3',4,4',5-Pentachlorobiphenyl (0.01)	2,4,4'-Trichlorobiphenyl (0.01)	2,4-Dichlorobenzophenone (0.01)	2-Phenylphenol (0.01)
3,5-Dichloroaniline (0.05)	Aclonifen (0.05)	Acrinathrin (0.01)	Alachlor (0.01)	Aldrin (0.01)	Aldrin/ Dieldrin (Sum) (0.01)
Allidochlor (0.01)	Ametryn (0.01)	Aminocarb (0.01)	Anthraquinone (0.01)	Aspon (0.01)	Atrazine-desethyl (0.01)
Benalaxyl including other mixtures of constituent (0.01)	Benfluralin (0.01)	Benoxacor (0.01)	Bifenox (0.05)	Bifenthrin (0.01)	Biphenyl (0.01)
Bromophos-ethyl (0.01)	Bromophos-methyl (0.01)	Bromopropylate (0.01)	Butachlor (0.01)	Butafenacil (0.01)	Butamifos (0.01)
Cadusafos (0.01)	Carbophenothion (0.01)	Carboxin (0.01)	Chlorbenside (0.01)	Chlorbufam (0.05)	Chlordane(Sum of cis, trans-Chlordane) (0.01)
Chlordane, cis- (0.01)	Chlordane, trans- (0.01)	Chlorfenapyr (0.01)	Chlorfenson (0.01)	Chlorfenvinphos (0.01)	Chlormephos (0.01)
Chlorobenzilate (0.01)	Chloroneb (0.01)	Chloropropylate (0.01)	Chlorpyrifos (-ethyl) (0.01)	Chlorpyrifos-methyl (0.01)	Chlorthal-dimethyl(DCPA) (0.01)
Chlorthiophos (0.01)	Chlozolinate (0.01)	Clomazone (0.01)	Clomeprop (0.01)	Crimidine (0.01)	Cyanofenphos (0.01)
Cyanophos (0.01)	Cycloate (0.01)	Cyfluthrin (0.01)	Cyhalothrin, lambda-(Incl. Cyhalothrin, gamma-) (0.01)	Cypermethrin (sum of isomers) (0.01)	Cyprazine (0.01)
Cyproconazole (0.01)	Cyprodinil (0.01)	Deltamethrin (0.05)	Desmetyrn (0.01)	Diazinon (0.01)	Dichlobenil (0.01)
Dichlorfenthion (0.01)	Dichlorimid (0.01)	Dichlorobenzophenone, p,p- (0.01)	Diclofop-methyl (0.01)	Dicloran (0.01)	Dicofol (sum) (0.01)
Dicofol, o,p- (0.01)	Dicofol, p,p- (0.01)	Dieldrin (0.01)	Diethyltoluamide(DEET) (0.01)	Dimethametryn (0.01)	Dimethyvinphos (0.01)
Diofenolan (0.01)	Diphenylamine (0.05)	Dipropetryn (0.01)	Disulfoton (0.01)	Ditalimfos (0.01)	Edifenphos (0.05)
Endosulfan (Sum) (0.01)	Endosulfan sulphate (0.01)	Endosulfan, alpha- (0.01)	Endosulfan, beta- (0.01)	Endrin (0.01)	EPN (0.01)
EPTC (0.01)	Etaconazole (0.01)	Ethalfuralin (0.01)	Ethion (0.01)	Ethoprophos (0.01)	Etofenprox (0.01)
Etridiazole (0.01)	Etrinfos (0.01)	Fenarimol (0.01)	Fenazaquin (0.01)	Fenbuconazole (sum of constituent enantiomers) (0.01)	Fenchlorphos (0.01)
Fenchlorphos oxon (0.01)	Fenfluthrin (0.01)	Fenitrothion (0.01)	Fenpropathrin (0.01)	Fenpropimorph (0.01)	Fenson (0.01)
Fenthion (0.01)	Fenthion (sum) (0.01)	Fenvalerate (0.01)	Flamprop-isopropyl (0.01)	Fluchloralin (0.01)	Flucythrinate (0.01)
Flumetralin (0.01)	Fluorodifen (0.01)	Fluotrifazone (0.01)	Fluquinconazole (0.01)	Flusilazole (0.01)	Fluvatinatate (sum of isomers) (0.01)
Fonofos (0.01)	Formothion (0.01)	Fumcycloxy (0.01)	Heptachlor (0.01)	Heptachlor (sum) (0.01)	Heptachlor epoxide, cis- (0.01)
Heptachlor epoxide, trans- (0.01)	Heptenophos (0.01)	Hexachlorobenzene (HCB) (0.01)	Hexazinone (0.01)	Iodofenphos (0.01)	Iprodione (0.01)
Isazophos (0.01)	Isocarbofos (0.01)	Isodrin (0.01)	Isufenphos (0.01)	Isufenphos-methyl (0.01)	Isopropalin (0.01)
Isoxathion (0.01)	Leptophos (0.01)	Mepronil (0.01)	Metconazole (0.01)	Methacrifos (0.01)	Methoxychlor (0.01)
Metribuzin (0.01)	Mirex (0.01)				

Eurofins Technology Service (Qingdao) Co., Ltd.

Site I: Floor 2, Building 6, No.368 Hejiang Road,

High-tech District, Qingdao, Shandong Province, P.R.China

Site II: Building 2, No.7 Fandong Road, High-tech District,

Qingdao, Shandong Province, P.R.China

Phone +86 400 076 1880


www.eurofins.cn



Myclobutanil (sum of constituent isomers) (0.01) o,p'-DDD (0.01) Parathion-methyl (0.01) Pentachlorothioanisole (0.01) Picoxystrobin (0.01) Profenofos (0.01) Propham (0.01) Quinalphos (0.01) Silafluofen (0.01) Tecnazene (0.01) Terbutylazine (0.01) Tetrasul (0.01) Triazophos (0.01) Uniconazole (0.01) HCH (sum of $\alpha$ , $\beta$ , $\gamma$ -HCH) (0.01)	Napropamide (0.01) o,p'-DDE (0.01) Penconazole (sum of constituent isomers) (0.01) Permethrin (sum of isomers) (0.01) Piperonyl butoxide (0.01) Profluralin (0.01) Propiconazole (sum of isomers) (0.01) Quintozene (0.01) Sulfafate (VegeDex) (0.01) Tefluthrin (0.01) Terbutryn (0.01) Thiometon (0.01) Trichloronat (0.01) Vinclozolin (0.01) DDT, o,p'- (0.01)	Nitrapyrin (0.01) Ofurace (0.01) Pendimethalin (0.01) Phenothrin (0.01) Piperophos (0.01) Prometryn (0.01) propisochlor (0.01) Quintozene (sum) (0.01) Sulfotep (0.01) Terbacil (0.05) Tetrachlorvinphos (0.01) Thionazin (0.01) Trietazine (0.01) HCH, alpha- (0.01) DDE, p,p'- (0.01)	Nitrofen (0.01) Oxyfluorfen (0.01) Pentachloroaniline (0.01) Phenthoate (0.01) Pirimiphos-ethyl (0.01) Propachlor (0.01) Propyzamide (0.01) S 421 (0.01) Sulprofos (0.01) Terbufos (0.01) Tetraconazole (0.01) Tolclofos-methyl (0.01) Trifloxystrobin (0.01) HCH, beta- (0.01) DDD, p,p'- (0.01)	Nitrothal-isopropyl (0.01) Paclobutrazol (0.01) Pentachloroanisole (0.01) Phorate (0.01) Pirimiphos-methyl (0.01) Propazine (0.01) Prosulfocarb (0.01) Sebutylazine (0.01) Tebutam (0.01) Terbufos (sum) (0.01) Tetradifon (0.01) Transfluthrin (0.01) Trifluralin (0.01) HCH, delta- (0.01) DDT, p,p'- (0.01)	Nuarimol (0.01) Parathion-ethyl (0.01) Pentachlorobenzene (0.01) Phorate (sum) (0.01) Procymidone (0.01) Propetamphos (0.01) Pyrazophos (0.01) Secbumeton (0.01) Tebuthiuron (0.01) Terbumeton (0.01) Tetramethrin (0.01) Triadimefon (0.01) Trifluralin (0.01) Lindane (gamma-HCH) (0.01) DDT (sum) (0.01)
<p><b>VV162 Pesticide Screening(LC) (330 parameters)(LOQ* mg/kg)</b></p>					
3-Hydroxycarbofuran (0.01) Aldicarb (0.01) Amisulbrom (0.05) Azamethiphos (0.01) Benfuracarb (0.01) Boscalid (0.01) Butoxycarboxim (0.01) Carbetamide (0.01) Chlorbromuron (0.01) Chlorotoluron (0.01) Cinosulfuron (0.01) Clofentazine (0.01) Cyzofamid (0.01) Cymazine (0.01) Diallate (0.01) Difenoconazole (0.01) Dimethanamid including other mixtures of constitue (0.01) Dioxathion (0.01) Enestrobutrin (0.01) Ethoxyquin (0.01) Fenamiphos (0.01) Fenothicarb (0.01) Fensulfotioin (0.01) Fenthion-sulfoxide (0.01) Flamprop-methyl (0.01) Fludoxonil (0.01) Fluometuron (0.01) Flutolanil (0.01) Furathiocarb (0.01) Imibenconazole (0.01) Isoprocarb (0.01) Lenacil (0.01) Mandipropamid (any ratio of constituent isomers) (0.01) Metabenzthiazuron (0.01) Methidathion (0.01) Metolachlor (0.01) Molinate (0.01) Nicosulfuron (0.01) Oxadiazyl (0.01) Oxydemeton-methyl (0.01) Penflufen (0.01) Phosalone (0.01) Picolinafen (0.01) Promecarb (0.01) Prosulfuron (0.01) Pyrethrins (0.01) Pyriproxyfen (0.01) Saflufenacil (0.02) Spinosyn A (0.01) Tebuconazole (0.01) Terbufos-sulfoxide (0.01) Thiencysulfuron methyl (0.01) Tolfenpyrad (0.01) Trichlorfon (0.01) Triflurosulfuron-methyl (0.01)	Abamectin (0.05) Aldicarb (sum) (0.01) Anilofos (0.01) Azinphos-ethyl (0.01) Bensulfuron-methyl (0.01) Bromacil (0.01) Butralin (0.01) Carbofuran (0.002) Chloridimeform (0.01) Chloroxuron (0.01) Clethodim (0.01) Clothianidin (0.01) Cyclosulfamuron (0.01) Dazomet (0.01) Dichlorvos (0.01) Difenoxuron (0.01) Dimethoate (0.01) Diphenamid (0.01) Epoxiconazole (0.01) Ethoxysulfuron (0.01) Fenamiphos (sum) (0.01) Fenaxianil (0.01) Fensulfotioin-oxon (0.01) Fipronil (0.005) Flonicamid (0.01) Flufenacet (0.01) Fluoroglycofen-ethyl (0.01) Flutriafol (0.01) Halosulfuron-methyl (0.01) Imidacloprid (0.01) Isoprothiolane (0.01) Linuron (0.01) Mecarbam (0.01) Metalaxyl (0.01) Methiocarb (0.01) Metolcarb (0.01) Monocrotophos (0.01) Nitenpyram (0.01) Oxadiazon (0.01) Oxydemeton-methyl (sum) (0.01) Phenacril (0.01) Penoxsulam (0.01) Phosfolan (0.01) Pirimicarb (0.01) Prometon (0.01) Prothiofos (0.01) Pyridaben (0.01) Quinoxifen (0.01) Sethoxydim (0.01) Spinosyn D (0.01) Tebufenozide (0.01) Thiabendazole (0.01) Thiazamide (0.01) Triadimenol (0.01) Tricyclazole (0.01) Trinexapac-ethyl (0.01)	Acephate (0.01) Aldicarb-sulfone (0.01) Aramite (0.01) Azinphos-methyl (0.01) Benzoximate (0.01) Bromofenvinphos (0.01) Buturon (0.01) Carbofuran (sum) (0.01) Chlorfluazuron (0.01) Chlorpropham (0.01) Clethodim (sum) (0.01) Clethodim sulfone (0.01) Cruformate (0.01) Coumaphos (0.01) Cycloxydim (0.01) Demeton (0.01) Diclobutrazol (0.01) Diffubenzuron (0.01) Dimethomorph (0.01) Disulfoton-sulfon (0.01) Ethiofencarb (0.01) Etoxazole (0.01) Fenamiphos-sulfone (0.01) Fenoxycarb (0.01) Fensulfotioin-oxon-sulfone (0.01) Fipronil (sum) (0.01) Florasulam (0.01) Flufenuron (0.01) Fluridone (0.01) Fluxapyroxad (0.01) Hexaconazole (0.01) Imidaclothiz (0.01) Isoproturon (0.01) Lufenuron (0.01) Mefenacet (0.01) Metamifop (0.01) Methiocarb-sulfone (0.01) Metsululam (0.01) Monolinuron (0.01) Norflurazon (0.01) Oxadixyl (0.01) Paraoxon-ethyl (0.01) Phenamacril (0.01) Phosmet (0.01) Pretlialchlor (0.01) Propamocarb (Sum of propamocarb and its salts, exp (0.01) Pymetrozine (0.01) Pyridaphenthion (0.01) Quizalofop ethyl (0.01) Simazine (0.01) Spirodiclofen (0.01) Tebufenpyrad (0.01) Thiacloprid (0.01) Thiodencarb (0.01) Triadimenol/Triadimefon (sum) (0.01) Tridemorph (0.01) Trisulfuron (0.01)	Acetamidrid (0.01) Aldicarb-sulfoxide (0.01) Asulam (0.01) Azoxystrobin (0.01) Bifenazate (0.01) Bromuconazole (0.01) Butylate (0.01) Carbosulfan (0.01) Chloridazone (0.01) Chlorisulfuron (0.01) Clethodim sulfone (0.01) Cruformate (0.01) Cylflufenamid (0.01) Demeton-S-methyl (0.01) Dicrotophos (0.01) Diffufenican (0.01) Dimoxystrobin (0.01) Disulfoton-sulfoxide (0.01) Ethinprole (0.01) Famoxadone (0.05) Fenamiphos-sulfoxide (0.01) Fenpiclonil (0.01) Fensulfotioin-sulfone (0.01) Fipronil Desulfanyl (0.01) Fluazifop-P-butyl (0.01) Flumetsulam (0.01) Fluroxypyr-Methylheptyl (0.01) Forchlorfenuron (0.01) Hexythiazox (any ratio of constituent isomers) (0.01) Indoxacarb (sum, R+S isomers) (0.01) Isoxaben (0.01) Malaaxon (0.01) Mepanipyrim (0.01) Metamitron (0.01) Methiocarb-sulfoxide (0.01) Metoluxon (0.01) Monosulfuron (0.01) Norflurazon desmethyl (0.01) Oxamyl (0.01) Paraoxon-methyl (0.01) Phenmedipham (0.01) Phosphamidon (0.01) Primisulfuron-methyl (0.01) Propanil (0.01) Pyraclostrobin (0.01) Pyriflox (0.01) Quizalofop-P-ethyl (0.01) Simeconazole (0.01) Spirotetramat (0.01) TEPP (0.01) Thiamethoxam (0.01) Thiodicarb (0.01) Triallate (0.01) Trifloxysulfuron-sodium (0.01) Vamidothion (0.01)	Acetochlor (0.01) Amelotradin (0.01) Atrazine (0.01) Barban (0.01) Bioresmethrin (0.01) Bupirimate (0.01) Carbaryl (0.01) Carfentrazone-ethyl (0.01) Chlorimuron-Ethyl (0.05) Chromafenozide (0.01) Clethodim sulfoxide (0.01) Cyanazine (0.01) Cylflumetofen (0.01) Demeton-S-methyl-sulfone (0.01) Diethofencarb (0.01) Dimepiperate (0.01) Diniconazole (0.01) Diuron (0.01) Ethinprole (0.01) Fenamidone (0.01) Fenhexamid (0.01) Fenpropidin (0.01) Fenthion-oxon (0.01) Fipronil-sulfide (0.01) Flubendiamide (0.01) Flumioxazin (0.01) Flurtamone (0.01) Formetanate hydrochloride (0.01) Imazalil (any ratio of constituent isomers) (0.01) Iprobenfos (0.01) Isoxaflutole (0.01) Malaoxon (0.01) Mephosfolan (0.01) Metazachlor (0.01) Methomyl (0.01) Metsulfuron-methyl (0.01) Monuron (0.01) Novaluron (0.01) Oxaziclonmefone (0.01) Pebulate (0.01) Phorate-sulfone (0.01) Phosphamidon-methyl (0.01) Probenazole (0.01) Propargite (0.01) Pyraflufen-ethyl (0.01) PYRIFTALID (0.01) Resmethrin (0.01) Simetryn (0.01) Spiroxamine (0.01) Tepaloxylidim (0.01) Thidiazuron (0.01) Thiofanox-sulfone (0.01) Triasulfuron (0.01) Triflumizole (0.01) XMC (0.01)	Acicbenzolar-s-methyl (0.01) Amidosulfuron (0.01) Azacozazole (0.01) Bendiocarb (0.01) Barban (0.01) Bitertanol (0.01) Bupirimate (0.01) Carbendazim/Benomyl (sum) (0.005) Chlorantraniliprole (0.01) Chlorobenzuron (0.01) Cinidon-ethyl (0.01) Clodinafop-propargyl (0.01) Cyantraniliprole (0.01) Cymoxanil (0.01) Diafenthuron (0.01) Diethyl aminoethyl hexanoate (0.01) Dimethachlor (0.01) Dinotefur (0.01) Emamectin, benzoate- (0.01) Ethofumesate (0.01) Ethinprole (0.01) Fenamistrolin (0.01) Fenobucarb (0.01) Fenpyroximate (0.01) Fenthion-sulfone (0.01) Fipronil-sulfone (0.01) Flucetosulfuron (0.05) Flumorph (0.01) Fluthiacet-methyl (0.01) Fosthiazate (0.01) Imazaquin (0.01) Iprovalicarb (0.01) Kresoxim-methyl (0.01) Malathion/Malaoxon (sum as expressed Malathion) (0.01) Mesosulfuron-methyl (0.01) Methamidophos (0.01) Methoxyfenozide (0.01) Mevinphos (0.01) Neburon (0.01) Omethoate (0.01) Oxycarboxin (0.01) Pencycuron (0.01) Phorate-sulfoxide (0.01) Phoxim (0.01) Prochloraz (0.01) Propoxur (0.01) PYRAZOSULFURON-ETHYL (0.01) Pyrimethanil (0.01) Rotenone (0.01) Spinosad (Sum) (0.01) Sulfentrazone (0.01) Terbufos-sulfone (0.01) Thiencarbazon-methyl (0.01) Thiofanate-methyl (0.01) Tribenuron-methyl (0.01) Triflururon (0.01) Zoxamide (0.01)

**COMMENT**  
The comment refers to the tested sample and relates only to the investigated parameters.  
Our comment is that analysed sample is in accordance with the requirements of regulation (EC) 396/2005 (regulation on maximum residue levels in food and feed) in its currently valid version.

We do not accept responsibility for decisions taken on the basis of our reports and comments.

**SIGNATURE**


Janney Yu  
 Authorized Signatory

**EXPLANATORY NOTE**

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

☆ means the test is subcontracted within Eurofins group

⊗ means the test is subcontracted outside Eurofins group

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

In column "EU MRL", "/" means : "the default guideline value, 0.01 mg/kg, applies"

In column "EU MRL", "-" means : the individual compound guideline value is subjected to guideline value of summed compounds

EU MRL values are pesticides EU MRLs cited from Regulation (EC) No 396/2005

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.


The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Qingdao) Co., Ltd.

END OF REPORT

Eurofins Technology Service (Qingdao) Co., Ltd.  
 Site I: Floor 2, Building 6, No.368 Hedong Road,  
 High-tech District, Qingdao, Shandong Province, P.R.China  
 Site II: Building A2, No.1 Penglong Road, High-tech District,  
 Qingdao, Shandong Province, P.R.China



Phone +86 400 076 1880  
[www.eurofins.cn](http://www.eurofins.cn)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

